

Lab Results

Independent 3rd Party Analytical Testing and Validation

Product: MagPure Malate

Lot #: 081925129

Report Date: 02/25/2026

Ingredient Analysis	Claim	Result	Method
Magnesium (as Dimagnesium Malate)	100 mg	110 mg	ICP-AOAC

Microbial Testing		Result	Method
Total Plate Count	-	20 cfu/g	USP 2021
Yeast & Mold	-	< 10 cfu/g	USP 2021
Coliform	-	< 10 cfu/g	AOAC
Pseudomonas aeruginosa	-	Negative	USP 62
Salmonella	-	Negative	USP 2022
Staph-aureus	-	Negative	USP 2022
E. coli	-	Negative	USP 2022
Enterobacteriaceae	-	< 10 cfu/g	AOAC

Heavy Metals Analysis	Not To Exceed	Detected	Method
Arsenic	10 mcg	<0.00546 mcg	ICP-AOAC
Cadmium	4.1 mcg	<0.00546 mcg	ICP-AOAC
Lead	.5 mcg	0.00807 mcg	ICP-AOAC
Mercury	2 mcg	<0.00546 mcg	ICP-AOAC



Tests performed in accordance with ISO/IEC 17025 Chemical Scope of Accreditation

