

NANOLAB LABORATORY SERVICES**REPORT of EXAMINATION and ANALYSIS**

AB-0566-T

G24-2117/0

02-24

Report No /Rev. No : G24-2117/0**Report Date** : 16.02.2024**The Purpose of Analysis** : Special Request**Sample Sent by** :**Part No** :**Sample Name** : 13-15 MM NATURAL HAZELNUT KERNELS**Sample Package** : Vacuum Packaging**Sample Quantity** : 250 G**Temperature (°C)** : 16°C**Sample Acc. Date & Time** : 14.02.2024 09:25**Analysis Start - Finish Date** : 14.02.2024 – 16.02.2024

Analysis	Results	Method / Device	R (%)	E.U.(±)	LOQ	Limit	E
1- *Salmonella Spp. (/25g)	Not Detected	AFNOR BKO 07/11-12/05 RAPID/Salmonella Agar-V10					NI
2- *Escherichia Coli Count (cfu/g)	< 10	ISO 16649 - 2					NI

Nanolab Laboratuvar Hizmetleri Kimya Gıda Danışmanlık Çevre Eğitim San. ve Tic. Ltd. Şti. accredited by TÜRKAK under registration number AB-0566-T for TS EN ISO / IEC 17025 as test laboratory

Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports

1. No part of the analysis report can not be used alone or separately.
2. This report can not be used in judicial-administrative proceedings and for advertising purposes.
3. Analysis results are valid for the above mentioned sample.
4. This report may not be partially copied or reproduced without the written permission of the laboratory.
5. Unsigned and unsealed reports are not valid.
6. The above mentioned values were determined as the result of the examination and analysis.
7. Abbreviations: E : Evaluation, P : Pass, F : Fail, N.I. : Not Interpreted, R : Re-evaluated, E.U. : Expanded Uncertainty, LOQ : Limit of Quantification
8. NI: Within the scope of the relevant legislation, no evaluation can be made for analyzes that do not have a limit value.
9. The analysis signed with "*" are in the scope of accreditation.

Mahfız AYBAR
Manager of
Microbiology

e-signed

Bülent TATLISÖZ
Manager of Sample
Accept. and Report

e-signed

Confirmable
16.02.2024
Yunus Emre YILMAZ
Lab. Manager

e-signed



This document has been electronically signed in accordance with the Electronic Signature Law No. 5070.