



CERTIFICATE OF ANALYSIS

Work Order	: FP2605600	Issue Date	: 26-Mar-2026
Customer	: QSL s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Kateřina Blažejová	Contact	: F&P Client Service
Address	: Plaská 622/3 150 00 Praha 5 - Malá Strana	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: katerina.blazejova@qualitysl.cz	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: NoordCode MCT Creamer	Page	: 1 of 2
Order number	: ----	Date Samples	: 03-Mar-2026
		Received	
		Quote number	: FP2024QSLSR-CZ0001 (CZ-114-24-5138_Food)
Site	: ----	Date of test	: 10-Mar-2026 - 26-Mar-2026
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

The sample FP2605600/001 the method B-PESMRS-02 - is not accredited for this type of matrix.

UK MRL of pesticides are based on Regulation (EC) No. 396/2005.

Pesticide screening: Accreditation status of parameters depends on tested matrix type.

Attachment/s number TCHC2118626-1 is/are an integral part of the certificate of analysis.

The indicated range of pesticide residues (screening) does not fully agree with the range of residues specified in Council Regulation No. 396/2005, in current wording. This is only a recommended list of residues. Specific residues must be requested outside this range (screening). The indicated range of pesticide residues (screening) may not coincide with the requirements of the authorities.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Eliška Baštářová

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

03-Mar-2026 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
----------------------	------------------	-----------------------------



Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2605600-001	NoordCode MCT Creamer Doplněk stravy	03-Mar-2026 00:00

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT

Laboratory sample ID
Client sampling date / time

FP2605600-001					
03-Mar-2026 00:00					
Result	MU	Result	MU	Result	MU
<0.10					
<0.040					
<0.050					
<0.030					
in the attachment TCHC2118626- 1					
<0.50					
<0.50					
<1.0					
<0.50					
<0.50					
<0.50					

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-HG-AMADT	CZ_SOP_D06_09_024 (ČSN 75 7440) Determination of Hg by atomic absorption spectrometry. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-METMSDT1	CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-PESMRS-02	GC-MS + LC-MS/MS pesticide multi-residue screen (cereals, oils, oily samples, dried herbs, tea, meat, fish etc.) [Subcontracted]
Location of test performance: Via Viatta, 1 Zoppola Friuli Venezia Giulia Italy 33080	
B-MP2360Aflat	Determination of mycotoxines in food for human use and feed
B-MP2360Mycot	Determination of mycotoxines in food for human use and feed MP.2360:R4.2025

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis