

Analytical report AR-25-Y9-003869-02

Date of reissue 16.01.2025

Date of first issue 16.01.2025

Testing laboratory address:

29, Nafpliou street, Metamorfosi
Athens
GREECE
Tel: (+30) 210 747 0500
sales_AAL@ftcee.eurofins.com
asm_aal@ftcee.eurofins.com

Customer:

MB ELEON M IKE
MB ELEON M SINGLE MEMBER PRIVATE
COMPANY
KANARI 8
10671 ATHENS
GREECE

Sample code: 873-2024-00082713

Date of Testing : 23.12.2024- 16.01.2025

Sample information:

Responsible for sampling
Sample description

Reception date
Sampling Date
Sample Temperature
Quantity/Pieces
Condition of sample

Client
OOTOPIA ORGANIC KORONEIKI SINGLE ESTATE ILIOKASTRO EXTRA VIRGIN
OLIVE OIL
23.12.2024
23.12.2024
Acceptable
1
Acceptable

Parameter	Method	Unit	LOD	Result	TT
Median bitter	COI/T.20/Doc. No 15, Organoleptic evaluation			3.5	SA
Median defect	COI/T.20/Doc. No 15, Organoleptic evaluation			0	SA
Median fruity	COI/T.20/Doc. No 15, Organoleptic evaluation			4.7	SA
Median pungent	COI/T.20/Doc. No 15, Organoleptic evaluation			4.1	SA
Polyphenols (total)	LC-MS/MS	mg/kg		456.5	SN
Hydroxytyrosol	LC-MS/MS	mg/kg		2.4	SN
Tyrosol	LC-MS/MS	mg/kg		4.6	SN
Vanillic acid	LC-MS/MS	mg/kg		0.3	SN
Vanillin	LC-MS/MS	mg/kg		0.1	SN
p-Coumaric acid	LC-MS/MS	mg/kg		0.1	SN
Hydroxytyrosol acetate	LC-MS/MS	mg/kg		6.1	SN
Ferulic acid	LC-MS/MS	mg/kg		0.09	SN
DDOA	LC-MS/MS	mg/kg		55.8	SN
Isomer of AOA	LC-MS/MS	mg/kg		65.1	SN
DDLA	LC-MS/MS	mg/kg		100.4	SN
Pinoresinol	LC-MS/MS	mg/kg		2.6	SN
Cinnamic acid + 1-Acetoxypinoresinol	LC-MS/MS	mg/kg		71.5	SN
Luteolin	LC-MS/MS	mg/kg		0.97	SN
AOA	LC-MS/MS	mg/kg		110.6	SN
Apigenin	LC-MS/MS	mg/kg		0.02	SN
AOL	LC-MS/MS	mg/kg		35.7	SN
Hydroxytyrosol, tyrosol and their derivatives	LC-MS/MS	mg/20 g		7.6	SN

Analytical report AR-25-Y9-003869-02**Date of reissue 16.01.2025****Date of first issue 16.01.2025****Notes:**

TT: Type of Test

A: Test within the accreditation scope

N: Test out of the accreditation scope

SA: Subcontracted accredited test

SN: Subcontracted non accredited test

LOD: Limit of detection

LOQ: Limit of quantification

Result between LOD and LOQ: < LOQ

Unless otherwise stated in the notes, the place of the tests performance is workplace of analytical laboratories Eurofins Athens Analysis Laboratories.

Vasiliki Malliou

Analytical Services Manager

Pavlos Nisianakis

Scientific & Technical Director

Validity check of document



END OF ANALYTICAL REPORT